

# From foe to friend: How carnivores could help farmers

By [Sam Williams](#), [Lourens Swanepoel](#) & [Steven Belmain](#)

6 Mar 2018

Across the globe, the numbers of carnivore species such as [leopards](#), [dingoes](#), and [spectacled bears](#) are rapidly [declining](#). The areas they occupy are also [getting smaller](#) each year. This is a problem, because carnivores are incredibly important to ecosystems as they may provide [services](#) such as biodiversity enhancement, disease regulation, and improving carbon storage. And that, in turn, is [important to human wellbeing](#).



Bernard DUPONT via [Wikimedia Commons](#)

But convincing people to conserve wildlife based on these indirect benefits can be challenging – particularly in the case of farmers. After all, carnivores such as leopards can pose a [threat to livestock](#), livelihoods, and sometimes even [lives](#). So interactions between farmers and carnivores have typically been framed as a conflict.

Farmers often [overestimate these threats](#). For many, the response is to kill carnivores – even those that are not eating livestock. This is one of the main reasons why [carnivores are in crisis](#).

This could change if people were aware of the more [tangible benefits](#) that carnivores could provide. [Our new study](#) showed that far from causing problems for farmers, carnivores could actually be beneficial by controlling rodent pests.

## Rodents and carnivores

There's a desperate [need for farmers to control rodents](#) because they [destroy 15% of the crops](#) growing in African fields. The most common solution is to use [poison](#). But this can be expensive and can kill many other species. On top of this, rodents eventually become resistant.

We set out to find out whether carnivores that eat rodents were found naturally on smallholder farms. We set camera traps on land used for cropping in South Africa, areas used to graze cattle (which was less disturbed than cropland), and among houses in village settlements.




A cape fox (*Vulpes chama*) on a maize farm feeding on *Gerbilliscus*, a common rodent pest in South Africa's grain areas.

Lourens Swanepoel, [CC BY](#)

We found nine species of carnivores in the camera trap pictures. Rodents are an important part of the diet of seven of the nine, including the striped polecat, honey badger, and African civet. To our surprise, we found that the [highest number of carnivore species](#) were often found in the cropping area, which included species such as the large spotted genet and slender mongoose.

So not only are carnivores present on farmers' fields, but it's likely that they are also controlling rodents that would otherwise damage crops. But more research is needed to confirm this.



Infographic summarising the findings of the study of rodent control by carnivores on South African farms.  
Sam Williams

We set about establishing whether people were aware of the potential connection between the presence of carnivores on their farms and rodent control. During a series of interviews it quickly became clear that even though some people believed that carnivores ate rodents, they still had negative perceptions and often [killed them](#).

## Big potential

The idea to use natural predation to control rodents is not [new](#). But to use mammalian predators to assist in biological control of rodent pests has often been neglected in [conservation circles](#). As such, there is great potential for carnivores to help farmers, but for this to work, farmers would need to stop killing them.

Changing these perceptions would take a lot of work. But efforts to change African perceptions about predatory birds, particularly barn owls, [have been successful](#) in some South African townships. Successful approaches to change community attitudes has often relied on education programmes through local schools. Bringing owls, snakes and other predators to primary schools can help raise awareness among children, who then go home and educate their parents, ultimately breaking down widely held superstitions.

If education campaigns could convince farmers to kill fewer carnivores, carnivores might just repay the favour by doing a better job of controlling rodents in crop fields. This could lead to less reliance on poisons, avoiding unnecessary killings and costs.

If successful, this could help farmers to save money, while working in a much more environmentally friendly way. This really could be a win-win situation for both people and wildlife, and it shows that interactions between people and carnivores on farmland can be much more nuanced and positive than the traditional image of conflict.

Finding new ways in which people and wildlife can coexist will be essential to lessen the impact of the growing human population on the ecosystems on which humans depend.

This article was originally published on [The Conversation](#). Read the [original article](#).

## ABOUT THE AUTHOR

Sam Williams, Postdoctoral Research Fellow in the Department of Zoology, University of Venda, and Honorary Research Fellow in the Department of Anthropology, Durham University; Lourens Swanepoel, Associate lecturer, University of Venda, and Steven Belmain, Professor of Ecology, University of Greenwich